

Safety data sheet

Page: 1/18

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 16.03.2020 Version: 2.0

Product: Ultracur3D® EL 150

(ID no. 11124658/SDS_GEN_00/EN)

Date of print 09.09.2021

1. Identification

Product identifier

Ultracur3D® EL 150

Recommended use: resin, Printing inks, Chemical

Details of the supplier of the safety data sheet

Company:
BASF 3D Printing Solutions GmbH
Speyerer Str. 4
69115 Heidelberg, Germany

Telephone: +49 6221 67417 900 E-mail address: sales@basf-3dps.com

Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 4 (oral)
Skin Corr./Irrit. 2
Eye Dam./Irrit. 1
Skin Sens. 1B
STOT SE 3 (irritating to respiratory system)
Aquatic Acute 3
Aquatic Chronic 3

Date / Revised: 16.03.2020 Version: 2.0

Product: Ultracur3D® EL 150

(ID no. 11124658/SDS_GEN_00/EN)

Date of print 09.09.2021

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word: Danger

Hazard Statement:

H318 Causes serious eye damage.

H315 Causes skin irritation. H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280 Wear protective gloves and eye protection or face protection.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P272 Contaminated work clothing should not be allowed out of the workplace.

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or physician.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P303 + P352 IF ON SKIN (or hair): Wash with plenty of soap and water.

P330 Rinse mouth

P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Precautionary Statements (Disposal):

Date / Revised: 16.03.2020 Version: 2.0

Product: Ultracur3D® EL 150

(ID no. 11124658/SDS_GEN_00/EN)

Date of print 09.09.2021

P501

Dispose of contents and container to hazardous or special waste

collection point.

Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 25 %, dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 25 %, oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 86 %, Inhalation - vapour

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 86 %, Inhalation - mist

Other hazards

According to UN GHS criteria

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

Blend based on: acrylic resin

Hazardous ingredients (GHS) According to UN GHS criteria

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Content (W/W): >= 1 % - < 3 % Skin Sens. 1B
CAS Number: 75980-60-8 Repr. 2 (fertility)
EC-Number: 278-355-8 Repr. 2 (unborn child)
Aquatic Acute 2
Aquatic Chronic 2

H317, H361, H401, H411

1,2-Cyclohexanedicarboxylic acid, diisononyl ester

Date / Revised: 16.03.2020 Version: 2.0

Product: Ultracur3D® EL 150

(ID no. 11124658/SDS_GEN_00/EN)

Date of print 09.09.2021

Content (W/W): >= 20 % - < 25 %

CAS Number: 166412-78-8

H316

Skin Corr./Irrit. 3

EC-Number: 431-890-2

Isodecyl acrylate

Content (W/W): >= 10 % - < 15 %Skin Corr./Irrit. 2 CAS Number: 1330-61-6 Skin Sens. 1B

EC-Number: 215-542-5 STOT SE 3 (irr. to respiratory syst.)

INDEX-Number: 607-133-00-9 Aquatic Acute 2 Aquatic Chronic 2 H317, H335, H402, H411

Specific concentration limit:

STOT SE 3, irr. to respiratory syst.: >= 10 %

2-Oxazolidinone, 3-ethenyl-5-methyl-

Content (W/W): >= 25 % - < 50 % Acute Tox. 4 (oral) Skin Corr./Irrit. 2 CAS Number: 3395-98-0 Eye Dam./Irrit. 1

STOT SE 3 (irr. to respiratory syst.)

H318, H315, H302, H335

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Date / Revised: 16.03.2020 Version: 2.0

Product: Ultracur3D® EL 150

(ID no. 11124658/SDS_GEN_00/EN)

Date of print 09.09.2021

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: No hazard is expected under intended use and appropriate handling.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons: water jet

Special hazards arising from the substance or mixture

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Breathing protection required.

Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

Date / Revised: 16.03.2020 Version: 2.0

Product: Ultracur3D® EL 150

(ID no. 11124658/SDS_GEN_00/EN)

Date of print 09.09.2021

7. Handling and Storage

Precautions for safe handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion:

Heated containers should be cooled to prevent polymerization. Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

The product in undamaged packing need not be stored separately.

Suitable materials for containers: High density polyethylene (HDPE)

Further information on storage conditions: Protect against heat. Protect from the effects of light. The stabilizer is only effective in the presence of oxygen.

Storage stability:

Storage temperature: -15 - 40 °C

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

No occupational exposure limits known.

Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

Chemical resistant protective gloves (EN 374)

Suitable materials for short-term contact (recommended: At least protective index 2, corresponding > 30 minutes of permeation time according to EN 374)

butyl rubber (butyl) - 0.7 mm coating thickness

nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Date / Revised: 16.03.2020 Version: 2.0

Product: Ultracur3D® EL 150

(ID no. 11124658/SDS_GEN_00/EN)

Date of print 09.09.2021

Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Under no circumstances should the product come into contact with the skin of pregnant women or be inhaled by them. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with the skin, eyes and clothing. Avoid inhalation. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Wash contaminated clothing before reuse.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form: liquid

Colour: colourless, clear Odour: acrylic-like

Odour threshold:

not determined

pH value:

of low solubility

Melting temperature:

not determined

Boiling point:

not determined

Flash point: > 94 °C

Evaporation rate:

not determined, Value can be approximated from Henry's Law Constant or vapor pressure.

Flammability: not highly flammable

Lower explosion limit:

For liquids not relevant for classification and labelling.

Upper explosion limit:

For liquids not relevant for classification and labelling.

Ignition temperature:

not determined

Vapour pressure:

not determined

Density: 1,03 g/cm3

(20 °C)

Date / Revised: 16.03.2020 Version: 2.0

Product: Ultracur3D® EL 150

(ID no. 11124658/SDS_GEN_00/EN)

Date of print 09.09.2021

Relative density: approx. 1,03

(20 °C)

No data available.

Relative vapour density (air):

not determined sparingly soluble

Solubility in water: Solubility (qualitative) solvent(s): organic solvents

soluble

Partitioning coefficient n-octanol/water (log Kow):

not applicable for mixtures

Self ignition: not self-igniting

Thermal decomposition: 146,99 °C, 102,45 kJ/kg

102 mPa.s Viscosity, dynamic:

(30 °C)

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Other information

Self heating ability: not applicable, the product is a liquid

Hygroscopy: hygroscopic

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

Corrosion to metals: Corrosive effects to metal are not anticipated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product can polymerize if the shelf life or storage temperature are greatly exceeded. Heat develops during polymerization. Reacts with peroxides and other radical components.

The product is stabilized against spontaneous polymerization prior to despatch.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid: free radical initiators

Hazardous decomposition products

Date / Revised: 16.03.2020 Version: 2.0

Product: Ultracur3D® EL 150

(ID no. 11124658/SDS_GEN_00/EN)

Date of print 09.09.2021

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion.

Information on: 2-Oxazolidinone, 3-ethenyl-5-methyl-

Experimental/calculated data:

LD50 rat (oral): >300-<2000 mg/kg bw (OECD Guideline 423)

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 25 %

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 25 %

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: $86\,\%$

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 86 %

Irritation

Assessment of irritating effects:

Skin contact causes irritation. May cause severe damage to the eyes.

Information on: 2-Oxazolidinone, 3-ethenyl-5-methyl-

Assessment of irritating effects:

May cause severe damage to the eyes. Causes skin irritation.

Information on: Isodecyl acrylate Assessment of irritating effects:

Skin contact causes irritation. Not irritating to the eyes. The European Union (EU) has classified the substance as "irritating to skin and eyes".

Information on: 2-Oxazolidinone, 5-methyl-

Assessment of irritating effects:

Not irritating to the skin. May cause severe damage to the eyes.

Date / Revised: 16.03.2020 Version: 2.0

Product: Ultracur3D® EL 150

(ID no. 11124658/SDS_GEN_00/EN)

Date of print 09.09.2021

Information on: 2-Oxazolidinone, 3-ethenyl-5-methyl-

Experimental/calculated data:

Skin corrosion/irritation In vitro assay: Irritant. (OECD Guideline 439)

Information on: Isodecyl acrylate Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant. (other)

Information on: 2-Oxazolidinone, 3-ethenyl-5-methyl-

Experimental/calculated data:

Serious eye damage/irritation In vitro assay: irreversible damage (OECD Guideline 437)

Information on: 2-Oxazolidinone, 5-methyl-

Experimental/calculated data:

Serious eye damage/irritation: irreversible damage (OECD Guideline 437)

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible.

Information on: Isodecyl acrylate Assessment of sensitization:

Sensitization after skin contact possible.

Information on: Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Assessment of sensitization:

Caused skin sensitization in animal studies.

Information on: Isodecyl acrylate Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: skin sensitizing (OECD Guideline 429)

Information on: Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: skin sensitizing (OECD Guideline 429)

Germ cell mutagenicity

Assessment of mutagenicity:

Based on the ingredients, there is no suspicion of a mutagenic effect.

Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

Date / Revised: 16.03.2020 Version: 2.0

Product: Ultracur3D® EL 150

(ID no. 11124658/SDS_GEN_00/EN)

Date of print 09.09.2021

Reproductive toxicity

Assessment of reproduction toxicity:

Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Information on: Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Assessment of reproduction toxicity:

The results of animal studies suggest a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

Based on the ingredients, there is no suspicion of a teratogenic effect.

Information on: Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Assessment of teratogenicity:

At high doses there are indications of a developmental effect.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The information available on the product provides no indication of toxicity on target organs after repeated exposure. The product has not been tested. The statement has been derived from the properties of the individual components.

Aspiration hazard

Harmful if swallowed.

Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Date / Revised: 16.03.2020 Version: 2.0

Product: Ultracur3D® EL 150

(ID no. 11124658/SDS_GEN_00/EN)

Date of print 09.09.2021

May cause long-term adverse effects in the aquatic environment. The product has not been tested. The statement has been derived from the properties of the individual components. Acutely harmful for aquatic organisms.

Information on: Isodecyl acrylate

Toxicity to fish:

LC50 (96 h) 1,81 mg/l, Oncorhynchus mykiss (OECD Guideline 203, semistatic)

The statement of the toxic effect relates to the analytically determined concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Toxicity to fish:

LC50 (48 h) 6,53 mg/l, Oryzias latipes (JIS K 0102-71, semistatic) The details of the toxic effect relate to the nominal concentration.

Information on: Isodecyl acrylate

Aquatic invertebrates:

EC50 (48 h) 1,3 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The statement of the toxic effect relates to the analytically determined concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Aquatic invertebrates:

EC50 (48 h) 3,53 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The statement of the toxic effect relates to the analytically determined concentration.

Information on: Isodecyl acrylate

Aquatic plants:

EC50 (72 h) 1,71 mg/l (growth rate), Scenedesmus subspicatus (OECD Guideline 201, static) The statement of the toxic effect relates to the analytically determined concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Aquatic plants:

EC50 (72 h) > 2,01 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static) The statement of the toxic effect relates to the analytically determined concentration.

EC10 (72 h) 1,56 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static) The statement of the toxic effect relates to the analytically determined concentration.

Information on: Isodecyl acrylate

Microorganisms/Effect on activated sludge:

EC20 (30 min) > 1.000 mg/l, activated sludge, domestic (DIN EN ISO 8192, aquatic)

Nominal concentration.

Date / Revised: 16.03.2020 Version: 2.0

Product: Ultracur3D® EL 150

(ID no. 11124658/SDS_GEN_00/EN)

Date of print 09.09.2021

Information on: Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Microorganisms/Effect on activated sludge:

EC20 (3 h) > 1.000 mg/l, activated sludge, domestic (OECD Guideline 209, aerobic) Limit concentration test only (LIMIT test). The details of the toxic effect relate to the nominal

concentration.

Information on: Isodecyl acrylate

Chronic toxicity to fish: No data available.

Information on: Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Chronic toxicity to fish:

No data available regarding toxicity to fish.

Information on: Isodecyl acrylate

Chronic toxicity to aquatic invertebrates:

No data available.

Information on: Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Chronic toxicity to aquatic invertebrates:

No data available regarding toxicity to daphnids.

Assessment of terrestrial toxicity:

No data available concerning terrestrial toxicity.

Persistence and degradability

Assessment biodegradation and elimination (H2O):

Moderately/partially eliminated from water.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 2-Oxazolidinone, 3-ethenyl-5-methyl-Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

Information on: Isodecyl acrylate

Assessment biodegradation and elimination (H2O): Readily biodegradable (according to OECD criteria).

Information on: Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Assessment biodegradation and elimination (H2O):

Poorly biodegradable. Not readily biodegradable (by OECD criteria).

Information on: 2-Oxazolidinone, 5-methyl-

Assessment biodegradation and elimination (H2O):

Readily biodegradable (according to OECD criteria).

Date / Revised: 16.03.2020 Version: 2.0

Product: Ultracur3D® EL 150

(ID no. 11124658/SDS_GEN_00/EN)

Date of print 09.09.2021

Information on: 2-Oxazolidinone, 3-ethenyl-5-methyl-

Elimination information:

< 10 % CO2 formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC,

C.4-C) (aerobic, activated sludge, domestic)

Information on: Isodecyl acrylate

Elimination information:

82 % (28 d) (OECD 301D; EEC 92/69, C.4-E) (aerobic, activated sludge, domestic) Readily

biodegradable (according to OECD criteria).

Information on: Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Elimination information:

0 - 10 % BOD of the ThOD (28 d) (OECD Guideline 301 F) (aerobic, activated sludge, domestic)

Information on: 2-Oxazolidinone, 5-methyl-

Elimination information:

60 - 70 % CO2 formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC,

C.4-C) (aerobic, activated sludge, domestic)

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested.

Information on: 2-Oxazolidinone, 3-ethenyl-5-methyl-

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to

be expected.

Information on: Isodecyl acrylate

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is

possible.

Information on: Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Assessment bioaccumulation potential:

Does not significantly accumulate in organisms.

Information on: 2-Oxazolidinone, 5-methyl-

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to

be expected.

Information on: 2-Oxazolidinone, 3-ethenyl-5-methyl-

Bioaccumulation potential:

No data available.

Information on: Isodecyl acrylate

Date / Revised: 16.03.2020 Version: 2.0

Product: Ultracur3D® EL 150

(ID no. 11124658/SDS_GEN_00/EN)

Date of print 09.09.2021

Information on: Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Bioaccumulation potential:

Bioconcentration factor: 23 - 55 (56 d), Cyprinus carpio (measured)

Information on: 2-Oxazolidinone, 5-methyl-

Mobility in soil

Assessment transport between environmental compartments:

Volatility: No data available.

Information on: 2-Oxazolidinone, 3-ethenyl-5-methyl-

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is not expected.

Information on: Isodecyl acrylate

Assessment transport between environmental compartments:

Volatility: The substance will rapidly evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is expected.

Information on: Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is not expected.

Information on: 2-Oxazolidinone, 5-methyl-

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is not expected.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Additional information

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

Do not discharge product into the environment without control.

Date / Revised: 16.03.2020 Version: 2.0

Product: Ultracur3D® EL 150

(ID no. 11124658/SDS_GEN_00/EN)

Date of print 09.09.2021

13. Disposal Considerations

Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

14. Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable

user

RID

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Not applicable
Not applicable
Not applicable

Environmental hazards: Not applicable Special precautions for None known

user

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Not applicable
Not applicable
Not applicable

None known

Special precautions for

user:

Date / Revised: 16.03.2020 Version: 2.0

Product: Ultracur3D® EL 150

(ID no. 11124658/SDS_GEN_00/EN)

Date of print 09.09.2021

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation: Not evaluated
Shipment approved: Not evaluated
Pollution name: Not evaluated
Pollution category: Not evaluated
Ship Type: Not evaluated

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Date / Revised: 16.03.2020 Version: 2.0

Product: Ultracur3D® EL 150

(ID no. 11124658/SDS_GEN_00/EN)

Date of print 09.09.2021

16. Other Information

Any other intended applications should be discussed with the manufacturer.

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox. Acute toxicity

Skin Corr./Irrit. Skin corrosion/irritation

Eye Dam./Irrit. Serious eye damage/eye irritation

Skin Sens. Skin sensitization

STOT SE Specific target organ toxicity — single exposure
Aquatic Acute Hazardous to the aquatic environment - acute
Aquatic Chronic Hazardous to the aquatic environment - chronic

Repr. Reproductive toxicity

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility. Suspected of damaging the unborn child.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H316 Causes mild skin irritation.
H335 May cause respiratory irritation.

H402 Harmful to aquatic life.

H318 Causes serious eye damage.

H315 Causes skin irritation. H302 Harmful if swallowed.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.